

SERVICIO METEOROLÓGICO NACIONAL
Gerencia de Investigación, Desarrollo y Capacitación

Departamento: VA y GEO

Título: “Saver Net : An Observing and Data Distribution Network of Atmospheric Ozone, UV Radiation, and Aerosols for the Southern Part of South America”

Autores: Akira Mizuno; Nobuo Sugimoto; Elian Wolfram; Félix Zamorano; Hirofumi Ohyama; Jacobo Salvador; Tomoo Nagahama; Takafumi Sugita; Hideharu Akiyoshi; Facundo Orte; Taku Nakajima; Solangela Sanchez; Gerardo Carbajal; Alejandro Acquesta; Eduardo Quel y Yuji Misu.

Lugar: Quadrennial Ozone Symposium - Edinburgh

Fecha: 04-09 de septiembre 2016

Tipo de documento: Resumen

Número de documento: **0007VA2016**

SAVER-Net: An Observing and Data Distribution Network of Atmospheric Ozone, UV Radiation, and Aerosols for the Southern Part of South America

Akira Mizuno¹, Nobuo Sugimoto², Elian Wolfram³, Félix Zamorano⁴, Hirofumi Ohyama¹, Jacobo Salvador³, Tomoo Nagahama¹, Takafumi Sugita², Hideharu Akiyoshi², Facundo Orte³, Taku Nakajima¹, Solangela Sanchez⁵, Gerardo Carbajal⁶, Alejandro Acquesta⁷, Eduardo Quel³, and Yuji Misu⁸

1 Institute for Space-Earth Environmental Research (ISEE), Nagoya University, Nagoya, Japan.

2 National Institute for Environmental Studies (NIES), Tsukuba, Japan.

3 Laser Application and Research Center (CEILAP), Villa Martelli, Argentina.

4 University of Magallanes (UMAG), Punta Arenas, Chile.

5 Chilean Meteorological Directorate (DMC), Santiago, Chile.

6 National Weather Service (SMN), Buenos Aires, Argentina.

7 Department of Modeling and Crisis Management (DMMC), Villa Martelli, Argentina.

8 Japan International Cooperation Agency (JICA), Tokyo, Japan.

The South-Patagonian region in South America is the southernmost habitable area in the world, and the inhabitant of this region directly suffers the influence of ozone hole that overpasses the region during austral late spring. In addition, volcanic ashes spread from the Andes volcanoes cause serious damages on agriculture, live stocks, forestry, tourism, and daily life near the volcanoes and make traffic jams of airlines over much larger area. However, the present monitoring system for ozone/UV and aerosols in the South American continent lags significantly behind the northern hemisphere such as Europe and US. To overcome this situation, we have been conducting an international project to build a ground-based observing network of ozone/UV and aerosols to detect the risks for the local habitant and to establish a communication network distributing near-real-time risk information and near-future forecasts based on model calculations. The name of the project is SAVER-Net, South American Environmental Risk Management Network, which is five-year trilateral project among Japan, Argentina, and Chile promoted by Japanese funding agencies JICA and JST under SATREPS, Science and Technology Research Partnership for Sustainable Development, program. The core observation site is OAPA, Observatorio Atmosferico de la Patagonia Austral (Atmospheric Observatory in the Southern Patagonia), in Rio Gallegos (51.6°S, 69.3°W), Argentina, operated mainly by CEILAP, where a millimeter-wave spectroscopic radiometer (MWR), a differential absorption lidar (DIAL), UV radiometers, and Brewer spectrometer were in operation. The MWR can continuously provide the vertical profiles of ozone between ~20 km and ~70km altitude over day and night with a time resolution of ~30 min, but the vertical resolution is a bit coarse, ~ 10km. On the other hand, the DIAL can resolve the profile with much higher resolution, < 1 km, between ~ 12 km to ~45 km altitude, but the observable condition is limited in the night with clear sky. Those two instruments are complementary and both the instruments compensate their weakness each other by

combining those instruments. In addition to OAPA, University of Magallanes in Chile joins to the observations by using ozonesonde, UV radiometer, and Brewer Spectrometer from Punta Arenas, and also UV radiometers at more than 25 points over Argentinean and Chilean territories operated by Chilean Meteorological Directorate, DMC, and National Weather Service in Argentina, SMN, are utilized. All the observed data will be compiled at the Data Center in Buenos Aires and will be distributed for not only the scientific purpose but also public service through the ministry of health and the ministry of environment of Chile and Argentina. In addition to the observational data, Japanese group in NIES supports the model calculation for the ozone and UV forecast.

In my presentation, I will present the overview of the aim, framework, and the present status of the project, and the details of the scientific outputs will be presented by colleague of the project in this symposium.